


Rayon Pendant



Installation Instructions



! Please handle with care and wear gloves at all times during assembly and installation to avoid damaging or marking the components.

TECHNICAL

bulb holder	LED (dimmable)
wattage	45 watts (LED)
weight	45kg (99lbs)
cleaning	dust using a dry lint-free cloth weekly or as required
replacement/repairs	please contact CTO Lighting
warranty	CTO Lighting warranty, 1 year from date of delivery
certification	CE compliant




BEFORE INSTALLATION

- Installation **must** be carried out by a qualified electrician.
 - A minimum of **four people** are required to install this pendant.
 - Check that the ceiling and components are suitable and strong enough to support the weight of the pendant.
-


PARTS & COMPONENTS

- A. 1 x Ceiling Plate
- B. 1 x Ceiling Rose
- C. 1 x Rayon Pendant
- D. 2 x Drop Rod
- E. 6 x Screws


A.



B.



C.



D.



E.




INSTALLATION

1. Feed the power cable through one of the drop rods and screw into the arm of the pendant tightly.


Do the same with the other drop rod on the other side of the pendant (without the power cable).

note: Ensure that the drop rods are fully screwed into the arms and are tightened **very securely**.



2. Remove the nuts and strengthening plates from the top of the drop rods and attach ceiling rose by placing over the drop rods and replacing the nuts and strengthening plates.

note: Ensure that when the strengthening plate and nuts are replaced inside the ceiling rose they are tightened **very securely**.



3. Attach the ceiling plate to the ceiling ensuring that you are using screws appropriate for the surface that you are mounting to, and with the electric cable centered with the hole in the middle of the plate.

Raise the assembled pendant towards the ceiling and make the electrical connection. Further raise the pendant closing the ceiling rose over the mounted plate and secure with the 6 x screws provided.

note: Do not release the weight of the pendant until **all six screws** have been securely fastened.

