

## ABSTRACT WALL

### FINISH

antique bronze  
bronze  
satin brass

### DIMENSIONS (body of fixture)

204 x 75 x 380 mm (w x d x h)

### WEIGHT

1kg (2.2lbs)

### ILLUMINATION

220-240v - 1 x G9 - 25w max halogen (or 2.3 LED 2700k)  
110-130v - 1 x G9 - 25w max halogen (or 2.3 LED 2700k)

### DIMMING

dimnable bulb required  
trailing edge dimmable / phase cut (rotary dimmer): standard  
DALI option available (220-240v only)



### WALL ROSE / PLATE

round wall plate -  $\varnothing$ 114 x 5 mm ( $\varnothing$  x h)


### CERTIFICATION



### VIEW ON WEBSITE



mounting plate dimensions



\*Diagrams are not to scale.

## ABSTRACT WALL - DALI-A

### FINISH

antique bronze  
bronze  
satin brass

### DIMENSIONS (body of fixture)

204 x 75 x 380 mm (w x d x h)

### WEIGHT

1kg (2.2lbs)

### ILLUMINATION

220-240v - 1 x G9 - 25w max halogen (or 2.3 LED 2700k)  
DALI converter to be installed in the cavity

### DIMMING

dimnable bulb required  
DALI compatible


### WALL ROSE / PLATE

round wall plate -  $\varnothing$  114 x 5 mm ( $\varnothing$  x h)


### CERTIFICATION




### VIEW ON WEBSITE



mounting plate dimensions



DALI converter dimensions



\*Diagrams are not to scale.

## ABSTRACT WALL - DALI-B

### FINISH

antique bronze  
bronze  
satin brass

### DIMENSIONS (body of fixture)

204 x 100 x 380 mm (w x d x h)

### WEIGHT

1kg (2.2lbs)

### ILLUMINATION

220-240v - 1 x G9 - 25w max halogen (or 2.3 LED 2700k)  
DALI converter to be installed in the wall rose

### DIMMING

dimnable bulb required  
DALI compatible


### WALL ROSE / PLATE

round wall plate -  $\varnothing$  116 x 25 mm ( $\varnothing$  x h)


### CERTIFICATION



### VIEW ON WEBSITE



mounting plate dimensions



\*Diagrams are not to scale.

## ABSTRACT WALL

### ABSTRACT WALL

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
ABSWAOAB-240	antique bronze	220 - 240V
ABSWAOBZ-240	bronze	220 - 240V
ABSWAOSB-240	satin brass	220 - 240V
ABSWAOAB-110	antique bronze	110 - 130V
ABSWAOBZ-110	bronze	110 - 130V
ABSWAOSB-110	satin brass	110 - 130V

### ABSTRACT WALL - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
ABSWAOAB-DALIA-240	antique bronze	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
ABSWAOBZ-DALIA-240	bronze	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
ABSWAOSB-DALIA-240	satin brass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

### ABSTRACT WALL - DALI-B

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
ABSWAOAB-DALIB-240	antique bronze	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
ABSWAOBZ-DALIB-240	bronze	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
ABSWAOSB-DALIB-240	satin brass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V