## ARTES COLLECTIVE 600, 900, 1200 PENDANT

#### FINISH

antique bronze with antique bronze details and honed alabaster bronze with bronze details and honed alabaster bronze with satin brass details and honed alabaster satin brass with satin brass details and honed alabaster

#### **DIMENSIONS** (body of fixture)

1190 x 800 x variable mm (w x d x h)

#### WEIGHT

24kg (52.9lbs)

please ensure ceiling structure is strong enough to support the weight of the light

#### **OVERALL DROP**

shortest drop - minimum 135 mm please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)

#### ILLUMINATION

220-240v - integrated LED - 72w - 2700k 110-130v - integrated LED - 72w - 2700k LED driver integrated in the body of the light

#### DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard DALI option available (220-240v only) 0/1-10v (220-240v or 110-130v) - on request

#### **CEILING ROSE / PLATE**

round ceiling rose - ø 204 x 25 mm (dia x h)


#### CERTIFICATION







#### VIEW ON WEBSITE











<sup>\*</sup>Diagrams are not to scale.

# CTOLIGHTING

## ARTES COLLECTIVE 600, 900, 1200 PENDANT - DALI-A

#### FINISH

antique bronze with antique bronze details and honed alabaster bronze with bronze details and honed alabaster bronze with satin brass details and honed alabaster satin brass with satin brass details and honed alabaster

#### **DIMENSIONS** (body of fixture)

1190 x 800 x variable mm ( $w \times d \times h$ )

#### WEIGHT

24kg (52.9lbs)

please ensure ceiling structure is strong enough to support the weight of the light

#### **OVERALL DROP**

shortest drop - minimum 135 mm please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)

#### ILLUMINATION

220-240v - integrated LED - 72w - 2700k DALI LED driver integrated in the body of the light

#### DIMMING

DALI compatible

# CEILING ROSE / PLATE

round ceiling rose - ø 204 x 25 mm (dia x h)


#### CERTIFICATION







## VIEW ON WEBSITE











<sup>\*</sup>Diagrams are not to scale.



# ARTES COLLECTIVE 600, 900, 1200 PENDANT

# ARTES COLLECTIVE 600, 900, 1200 PENDANT

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
ARTPE0ABABHA-CO-240	antique bronze with antique bronze details and honed alabaster	220 - 240V
ARTPE0BZBZHA-CO-240	bronze with bronze details and honed alabaster	220 - 240V
ARTPEOBZSBHA-CO-240	bronze with satin brass details and honed alabaster	220 - 240V
ARTPEOSBSBHA-CO-240	satin brass with satin brass details and honed alabaster	220 - 240V
ARTPE0ABABHA-CO-110	antique bronze with antique bronze details and honed alabaster	110 - 130V
ARTPEOBZBZHA-CO-110	bronze with bronze details and honed alabaster	110 - 130V
ARTPE0BZSBHA-CO-110	bronze with satin brass details and honed alabaster	110 - 130V
ARTPEOSBSBHA-CO-110	satin brass with satin brass details and honed alabaster	110 - 130V

# ARTES COLLECTIVE 600, 900, 1200 PENDANT - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
ARTPEOABABHA-CO-DALIA-240	antique bronze with antique bronze details and honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the body of the light	220 - 240V
ARTPEOBZBZHA-CO-DALIA-240	bronze with bronze details and honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the body of the light	220 - 240V
ARTPEOBZSBHA-CO-DALIA-240	bronze with satin brass details and honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the body of the light	220 - 240V
ARTPEOSBSBHA-CO-DALIA-240	satin brass with satin brass details and honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the body of the light	220 - 240V