

## AVALON CHANDELIER HALO CEILING MOUNTING PLATE

### FINISH

bronze with honed alabaster  
satin brass with honed alabaster

### DIMENSIONS (body of fixture)

ø1010 x 70 mm (dia x h)

### WEIGHT

50kg (110.2lbs)  
please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 598 mm  
maximum on request 5080 mm  
supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

### ILLUMINATION

220-240v - integrated LED - 38w + 67w - 2700k  
110-130v - integrated LED - 38w + 67w - 2700k  
2 x LED drivers to be installed in the ceiling cavity  
drivers must be installed up to 20 meters from the body of the light

### DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard  
DALI option available (220-240v only)  
0/1-10v (220-240v or 110-130v) - on request



### CEILING ROSE / PLATE

round ceiling plate - ø160 x 10 mm (dia x h)


### CERTIFICATION




### VIEW ON WEBSITE



### mounting plate dimensions



### LED driver dimensions



\*Diagrams are not to scale.

## AVALON CHANDELIER HALO CEILING ROSE

### FINISH

bronze with honed alabaster  
satin brass with honed alabaster

### DIMENSIONS (body of fixture)

ø 1010 x 70 mm (dia x h)

### WEIGHT

50kg (110.2lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 653 mm

maximum on request 5135 mm

supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

### ILLUMINATION

220-240v - integrated LED - 38w + 67w - 2700k

110-130v - integrated LED - 38w + 67w - 2700k

2 x LED drivers to be installed in the ceiling rose

### DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard

DALI option available (220-240v only)

0/1-10v (220-240v or 110-130v) - on request


### CEILING ROSE / PLATE

round ceiling rose - ø 240 x 65 mm (dia x h)

### CERTIFICATION



### VIEW ON WEBSITE



\*Diagrams are not to scale.

## AVALON CHANDELIER HALO CEILING MOUNTING PLATE - DALI A

### FINISH

bronze with honed alabaster  
satin brass with honed alabaster

### DIMENSIONS (body of fixture)

ø 1010 x 70 mm (dia x h)

### WEIGHT

50kg (110.2lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 598 mm

maximum on request 5080 mm

supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

### ILLUMINATION

220-240v - integrated LED - 38w + 67w - 2700k

2 x DALI LED drivers to be installed in the ceiling cavity

drivers must be installed up to 20 meters from the body of the light

### DIMMING

DALI compatible



### CEILING ROSE / PLATE

round ceiling plate - ø 160 x 10 mm (dia x h)


### CERTIFICATION




### VIEW ON WEBSITE



### mounting plate dimensions



### LED driver dimensions



\*Diagrams are not to scale.

## AVALON CHANDELIER HALO CEILING ROSE - DALI A

### FINISH

bronze with honed alabaster  
satin brass with honed alabaster

### DIMENSIONS (body of fixture)

ø 1010 x 70 mm (dia x h)

### WEIGHT

50kg (110.2lbs)  
please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 653 mm  
maximum on request 5135 mm  
supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

### ILLUMINATION

220-240v - integrated LED - 38w + 67w - 2700k  
2 x DALI LED drivers to be installed in the ceiling rose

### DIMMING

DALI compatible


### CEILING ROSE / PLATE

round ceiling rose - ø 240 x 65 mm (dia x h)

### CERTIFICATION



### VIEW ON WEBSITE



\*Diagrams are not to scale.

## AVALON CHANDELIER HALO

### AVALON CHANDELIER HALO - CEILING MOUNTING PLATE

| SKU NUMBER        | FINISH DESCRIPTION               | VOLTAGE    |
|-------------------|----------------------------------|------------|
| AVACHOBZHA-CM-240 | bronze with honed alabaster      | 220 - 240V |
| AVACHOSBHA-CM-240 | satın brass with honed alabaster | 220 - 240V |
| AVACHOBZHA-CM-110 | bronze with honed alabaster      | 110 - 130V |
| AVACHOSBHA-CM-110 | satın brass with honed alabaster | 110 - 130V |

### AVALON CHANDELIER HALO - CEILING ROSE

| SKU NUMBER        | FINISH DESCRIPTION               | VOLTAGE    |
|-------------------|----------------------------------|------------|
| AVACHOBZHA-CR-240 | bronze with honed alabaster      | 220 - 240V |
| AVACHOSBHA-CR-240 | satın brass with honed alabaster | 220 - 240V |
| AVACHOBZHA-CR-110 | bronze with honed alabaster      | 110 - 130V |
| AVACHOSBHA-CR-110 | satın brass with honed alabaster | 110 - 130V |

### AVALON CHANDELIER HALO - CEILING MOUNTING PLATE - DALI-A

| SKU NUMBER              | FINISH DESCRIPTION               | TYPE OF DALI  | VOLTAGE    |
|-------------------------|----------------------------------|---|------------|
| AVACHOBZHA-CM-DALIA-240 | bronze with honed alabaster      | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity | 220 - 240V |
| AVACHOSBHA-CM-DALIA-240 | satın brass with honed alabaster | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity | 220 - 240V |

### AVALON CHANDELIER HALO - CEILING ROSE - DALI-A

| SKU NUMBER              | FINISH DESCRIPTION               | TYPE OF DALI   | VOLTAGE    |
|-------------------------|----------------------------------|--|------------|
| AVACHOBZHA-CR-DALIA-240 | bronze with honed alabaster      | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose | 220 - 240V |
| AVACHOSBHA-CR-DALIBA240 | satın brass with honed alabaster | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose | 220 - 240V |