

CARAPACE CEILING / WALL

FINISH

bronze with satin brass details and shiny opal glass

DIMENSIONS (body of fixture)

ø 320 x 140 mm (dia x h)

WEIGHT

5kg (11lbs)

ILLUMINATION

220-240v - 1 x G9 - 25w max halogen (or 2.3w LED 2700k)
110-130v - 1 x G9 - 25w max halogen (or 2.3w LED 2700k)

DIMMING

dimnable bulb required
trailing edge dimmable / phase cut (rotary dimmer) - standard
DALI option available (220-240v only)



CEILING ROSE / PLATE

round ceiling rose - ø 116 x 25 mm (dia x h)


CERTIFICATION



VIEW ON WEBSITE



mounting plate dimensions



*Diagrams are not to scale.

CARAPACE CEILING / WALL - DALI-A

FINISH

bronze with satin brass details and shiny opal glass

DIMENSIONS (body of fixture)

∅ 320 x 140 mm (dia x h)

WEIGHT

5kg (11lbs)

ILLUMINATION

220-240v - 1 x G9 - 25w max halogen (or 2.3w LED 2700k)
DALI converter to be installed in the wall/ceiling rose

DIMMING

dimnable bulb required
DALI compatible



CEILING ROSE / PLATE

round ceiling rose - ∅ 116 x 25 mm (dia x h)


CERTIFICATION



VIEW ON WEBSITE



mounting plate dimensions



*Diagrams are not to scale.

CARAPACE CEILING / WALL

CARAPACE CEILING / WALL

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
CARCWOBZOG-DR-240	bronze with satin brass details and shiny opal glass	220 - 240V
CARCWOBZOG-DR-110	bronze with satin brass details and shiny opal glass	110 - 130V

CARAPACE CEILING / WALL - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
CARCWOBZOG-DR-DALIA-240	bronze with satin brass details and shiny opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the existent ceiling/wall rose	220 - 240V