CTOLIGHTING

FLOREN PENDANT FOUR

FINISH

antique brass with ribbed glass

DIMENSIONS (body of fixture)

2055 x 1355 x 410 mm (w x d x h)

WEIGHT

7kg (15.4lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 660 mm supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - 4 x E27 - 60w max (or 8w LED 2700k) 110-130v - 4 x E26 - 60w max (or 8w LED 2700k)

DIMMING

dimmable bulb required trailing edge dimmable / phase cut (rotary dimmer) - standard DALI option available (220-240v only)

CEILING ROSE / PLATE

round ceiling rose - ø 105 x 50 mm (dia x h)

CERTIFICATION









VIEW ON WEBSITE










mounting plate dimensions



*Diagrams are not to scale.

CTOLIGHTING

FLOREN PENDANT FOUR - DALI-A

FINISH

antique brass with ribbed glass

DIMENSIONS (body of fixture)

2055 x 1355 x 410 mm (w x d x h)

WEIGHT

7kg (15.4lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 660 mm supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - 4 x E27 - 60w max (or 8w LED 2700k) DALI converter to be installed in the cavity

DIMMING

dimmable bulb required DALI compatible

CEILING ROSE / PLATE

round ceiling rose - ø 105 x 50 mm (dia x h)


CERTIFICATION






VIEW ON WEBSITE









^{*}Diagrams are not to scale.



mounting plate dimensions



DALI converter dimensions



CTOLIGHTING

FLOREN PENDANT FOUR - DALI-B

FINISH

antique brass with ribbed glass

DIMENSIONS (body of fixture)

 $2055 \times 1355 \times 410 \text{ mm} (w \times d \times h)$

WEIGHT

7kg (15.4lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 645 mm supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - 4 x E27 - 60w max (or 8w LED 2700k) DALI converter to be installed in the ceiling rose

DIMMING

dimmable bulb required DALI compatible

CEILING ROSE / PLATE

round ceiling rose - ø 140 x 35 mm (dia x h)


CERTIFICATION






VIEW ON WEBSITE





mounting plate dimensions



^{*}Diagrams are not to scale.



FLOREN PENDANT FOUR

FLOREN PENDANT FOUR

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
FLOPE4ABRG-240	antique brass with ribbed glass	220 - 240V
FLOPE4ABRG-110	antique brass with ribbed glass	110 - 130V

FLOREN PENDANT FOUR - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
FLOPE4ABRG-DALIA-240	antique brass with ribbed glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

FLOREN PENDANT FOUR - DALI-B

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
FLOPE4ABRG-DALIB-240	antique brass with ribbed glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V