

LUCID PENDANT 200

FINISH

antique bronze with honed alabaster
 bronze with honed alabaster
 satin brass with honed alabaster
 silvered oxidised brass with honed alabaster

DIMENSIONS (body of fixture)

∅ 200 x 200 mm (dia x h)

WEIGHT

5kg (11lbs)
 please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 250 mm
 supplied with 1000mm drop rod (12.7mm dia) as standard
 (adjustable on site)

ILLUMINATION

220-240v - 1 x E14 - 6.5w 2700k LED ONLY
 110-130v - 1 x E12 - 6.5w 2700k LED ONLY

DIMMING

dimmable bulb required
 trailing edge dimmable / phase cut (rotary dimmer) - standard
 DALI option available (220-240v only)


CEILING ROSE / PLATE

round ceiling rose - ∅ 116 x 25 mm (dia x h)

CERTIFICATION



VIEW ON WEBSITE



*Diagrams are not to scale.

LUCID PENDANT 200 - DALI-A

FINISH

antique bronze with honed alabaster
 bronze with honed alabaster
 satin brass with honed alabaster
 silvered oxidised brass with honed alabaster

DIMENSIONS (body of fixture)

ø 200 x 200 mm (dia x h)

WEIGHT

5kg (11lbs)
 please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 250 mm
 supplied with 1000mm drop rod (12.7mm dia) as standard
 (adjustable on site)

ILLUMINATION

220-240v - 1 x E14 - 6.5w 2700k LED ONLY
 DALI converter to be installed in the ceiling rose

DIMMING

dimmable bulb required
 DALI compatible




CEILING / WALL PLATE

round ceiling rose - ø 116 x 25 mm (dia x h)

CERTIFICATION



VIEW ON WEBSITE



*Diagrams are not to scale.

LUCID PENDANT 200

LUCID PENDANT 200

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
LUCPE2ABHA-240	antique bronze with honed alabaster	220 - 240V
LUCPE2BZHA-240	bronze with honed alabaster	220 - 240V
LUCPE2SBHA-240	satın brass with honed alabaster	220 - 240V
LUCPE2OSHA-240	silvered oxidised brass with honed alabaster	220 - 240V
LUCPE2ABHA-110	antique bronze with honed alabaster	110 - 130V
LUCPE2BZHA-110	bronze with honed alabaster	220 - 240V
LUCPE2SBHA-110	satın brass with honed alabaster	110 - 130V
LUCPE2OSHA-110	silvered oxidised brass with honed alabaster	110 - 130V

LUCID PENDANT 200 - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
LUCPE2ABHA-DALIA-240	antique bronze with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose	220 - 240V
LUCPE2BZHA-DALIA-240	bronze with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose	220 - 240V
LUCPE2SBHA-DALIA-240	satın brass with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose	220 - 240V
LUCPE2OSHA-DALIA-240	silvered oxidised brass with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose	220 - 240V