MODULO PENDANT VERTICAL

FINISH

antique bronze with smoked kiln cast glass and opal glass bronze with smoked kiln cast glass and opal glass satin brass with smoked kiln cast glass and opal glass

DIMENSIONS (body of fixture)

160 x 120 x 1700 mm (w x d x h)

WEIGHT

10kg (22lbs) please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 1745 mm supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated mains LED - 27w - 2700k 110-130v - integrated mains LED - 27w - 2700k

DIMMING

trailing edge dimmable / phase cut (rotary dimmer) - standard DALI option available (220-240v only)

CEILING ROSE / PLATE

round ceiling rose - ø 116 x 25 mm (dia x h)


CERTIFICATION




VIEW ON WEBSITE



mounting plate dimensions





min 45mm (1.8)

1700mm (66.9)

*Diagrams are not to scale.

1745mm (68.7)

min 1

160mm (6.3)

MODULO PENDANT VERTICAL - DALI-A

FINISH

antique bronze with smoked kiln cast glass and opal glass bronze with smoked kiln cast glass and opal glass satin brass with smoked kiln cast glass and opal glass

DIMENSIONS (body of fixture)

160 x 120 x 1700 mm (w x d x h)

WEIGHT

10kg (22lbs) please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 1745 mm supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated mains LED - 27w - 2700k DALI converter to be installed in the ceiling cavity

DIMMING

DALI compatible

CEILING ROSE / PLATE

round ceiling rose - ø 116 x 25 mm (dia x h)


CERTIFICATION




VIEW ON WEBSITE




mounting plate dimensions




DALI converter dimensions



*Diagrams are not to scale.





min 45mm (1.8)

1700mm (66.9)

min 1745mm (68.7)

60mm (6.3)

MODULO PENDANT VERTICAL - DALI-B

FINISH

antique bronze with smoked kiln cast glass and opal glass bronze with smoked kiln cast glass and opal glass satin brass with smoked kiln cast glass and opal glass

DIMENSIONS (body of fixture)

160 x 120 x 1700 mm (w x d x h)

WEIGHT

10kg (22lbs) please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 1755 mm supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated mains LED - 27w - 2700k DALI converter to be installed in the ceiling rose

DIMMING

DALI compatible

CEILING ROSE / PLATE

round ceiling rose - ø 140 x 35 mm (dia x h)


CERTIFICATION




VIEW ON WEBSITE



mounting plate dimensions





*Diagrams are not to scale.

MODULO PENDANT VERTICAL

MODULO PENDANT VERTICAL

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
MODPEVLABSKMO-240	antique bronze with smoked kiln cast glass and opal glass	220 - 240V
MODPEVLBZSKMO-240	bronze with smoked kiln cast glass and opal glass	220 - 240V
MODPEVLSBSKMO-240	satin brass with smoked kiln cast glass and opal glass	220 - 240V
MODPEVLABSKMO-110	antique bronze with smoked kiln cast glass and opal glass	110 - 130V
MODPEVLBZSKMO-110	bronze with smoked kiln cast glass and opal glass	110 - 130V
MODPEVLSBSKMO-110	satin brass with smoked kiln cast glass and opal glass	110 - 130V

MODULO PENDANT VERTICAL - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
MODPEVLABSKMO-DALIA-240	antique bronze with smoked kiln cast glass and opal glass shades	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
MODPEVLBZSKMO-DALIA-240	bronze with smoked kiln cast glass and opal glass shades	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
MODPEVLSBSKMO-DALIA-240	satin brass with smoked kiln cast glass and opal glass shades	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

MODULO PENDANT VERTICAL - DALI-B

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
MODPEVLABSKMO-DALIB-240	antique bronze with smoked kiln cast glass and opal glass shades	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
MODPEVLBZSKMO-DALIB-240	bronze with smoked kiln cast glass and opal glass shades	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
MODPEVLSBSKMO-DALIB-240	satin brass with smoked kiln cast glass and opal glass shades	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V