

MODULO WALL TRIPLE

FINISH

antique bronze with smoked kiln cast glass and opal glass
 bronze with smoked kiln cast glass and opal glass
 satin brass with smoked kiln cast glass and opal glass

DIMENSIONS (body of fixture)

120 x 80 x 600 mm (w x d x h)

WEIGHT

3kg (6.6lbs)

ILLUMINATION

220-240v - integrated mains LED - 13.5w - 2700k

110-130v - integrated mains LED - 13.5w - 2700k

DIMMING

trailing edge dimmable / phase cut (rotary dimmer) - standard
 DALI option available (220-240v only)


WALL ROSE / PLATE

rectangular wall box - 34 x 393 x 15 mm (w x d x h)

CERTIFICATION



VIEW ON WEBSITE



*Diagrams are not to scale.

MODULO WALL TRIPLE - DALI-A

FINISH

antique bronze with smoked kiln cast glass and opal glass
 bronze with smoked kiln cast glass and opal glass
 satin brass with smoked kiln cast glass and opal glass

DIMENSIONS (body of fixture)

120 x 80 x 600 mm (w x d x h)

WEIGHT

3kg (6.6lbs)

ILLUMINATION

220-240v - integrated mains LED - 13.5w - 2700k
 DALI converter to be installed in the wall cavity

DIMMING

DALI compatible


WALL ROSE / PLATE

rectangular wall box - 34 x 393 x 15 mm (w x d x h)

CERTIFICATION



VIEW ON WEBSITE



*Diagrams are not to scale.

MODULO WALL TRIPLE

MODULO WALL TRIPLE

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
MODWA3ABSKMO-240	antique bronze with smoked kiln cast glass and opal glass	220 - 240V
MODWA3BZSKMO-240	bronze with smoked kiln cast glass and opal glass	220 - 240V
MODWA3SBSKMO-240	satin brass with smoked kiln cast glass and opal glass	220 - 240V
MODWA3ABSKMO-110	antique bronze with smoked kiln cast glass and opal glass	110 - 130V
MODWA3BZSKMO-110	bronze with smoked kiln cast glass and opal glass	110 - 130V
MODWA3SBSKMO-110	satin brass with smoked kiln cast glass and opal glass	110 - 130V

MODULO WALL TRIPLE - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
MODWA3ABSKMO-DALIA-240	antique bronze with smoked kiln cast glass and opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
MODWA3BZSKMO-DALIA-240	bronze with smoked kiln cast glass and opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
MODWA3SBSKMO-DALIA-240	satin brass with smoked kiln cast glass and opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V