

MODULO WALL TWIN

FINISH

antique bronze with smoked kiln cast glass and opal glass
 bronze with smoked kiln cast glass and opal glass
 satin brass with smoked kiln cast glass and opal glass

DIMENSIONS (body of fixture)

120 x 80 x 440 mm (w x d x h)

WEIGHT

2kg (4.4lbs)

ILLUMINATION

220-240v - integrated mains LED - 9w - 2700k

110-130v - integrated mains LED - 9w - 2700k

DIMMING

trailing edge dimmable / phase cut (rotary dimmer) - standard
 DALI option available (220-240v only)


WALL ROSE / PLATE

rectangular wall box - 34 x 232 x 15 mm (w x d x h)

CERTIFICATION



VIEW ON WEBSITE



*Diagrams are not to scale.

MODULO WALL TWIN - DALI-A

FINISH

antique bronze with smoked kiln cast glass and opal glass
 bronze with smoked kiln cast glass and opal glass
 satin brass with smoked kiln cast glass and opal glass

DIMENSIONS (body of fixture)

120 x 80 x 440 mm (w x d x h)

WEIGHT

2kg (4.4lbs)

ILLUMINATION

220-240v - integrated mains LED - 9w - 2700k
 DALI converter to be installed in the wall cavity

DIMMING

DALI compatible


WALL ROSE / PLATE

rectangular wall box - 34 x 232 x 15 mm (w x d x h)

CERTIFICATION



VIEW ON WEBSITE



*Diagrams are not to scale.

MODULO WALL TWIN

MODULO WALL TWIN

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
MODWA2ABSKMO-240	antique bronze with smoked kiln cast glass and opal glass	220 - 240V
MODWA2BZSKMO-240	bronze with smoked kiln cast glass and opal glass	220 - 240V
MODWA2SBSKMO-240	satin brass with smoked kiln cast glass and opal glass	220 - 240V
MODWA2ABSKMO-110	antique bronze with smoked kiln cast glass and opal glass	110 - 130V
MODWA2BZSKMO-110	bronze with smoked kiln cast glass and opal glass	110 - 130V
MODWA2SBSKMO-110	satin brass with smoked kiln cast glass and opal glass	110 - 130V

MODULO WALL TWIN - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
MODWA2ABSKMO-DALIA-240	antique bronze with smoked kiln cast glass and opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
MODWA2BZSKMO-DALIA-240	bronze with smoked kiln cast glass and opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
MODWA2SBSKMO-DALIA-240	satin brass with smoked kiln cast glass and opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V