

RING WALL

FINISH

antique bronze with satin brass details
 bronze with satin brass details
 satin brass with satin brass details
 weathered brass with weathered brass details
 satin nickel with satin brass details
 black polished nickel with black polished nickel details

DIMENSIONS (body of fixture)

120 x 130 x 300 mm (w x d x h)

WEIGHT

4kg (8.8lbs)

ILLUMINATION

220-240v - 2 x G9 - 25w max halogen (or 2.3w LED 2700k)
 110-130v - 2 x G9 - 25w max halogen (or 2.3w LED 2700k)

DIMMING

dimable bulb required
 trailing edge dimmable / phase cut (rotary dimmer) - standard
 DALI option available (220-240v only)

WALL ROSE / PLATE

rectangular wall box - 40 x 15 x 270 mm (w x d x h)


CERTIFICATION



VIEW ON WEBSITE



mounting plate dimensions



*Diagrams are not to scale.

RING WALL - DALI-A

FINISH

antique bronze with satin brass details
 bronze with satin brass details
 satin brass with satin brass details
 weathered brass with weathered brass details
 satin nickel with satin brass details
 black polished nickel with black polished nickel details

DIMENSIONS (body of fixture)

120 x 130 x 300 mm (w x d x h)

WEIGHT

4kg (8.8lbs)

ILLUMINATION

220-240v - 2 x G9 - 25w max halogen (or 2.3w LED 2700k)
 DALI converter to be installed in the cavity

DIMMING

dimnable bulb required
 DALI compatible

WALL ROSE / PLATE

rectangular wall box - 40 x 15 x 270 mm (w x d x h)


CERTIFICATION




VIEW ON WEBSITE



mounting plate dimensions



DALI converter dimensions



*Diagrams are not to scale.

RING WALL

RING WALL

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
RINWAOABSB-240	antique bronze with satin brass details	220 - 240V
RINWAOBZSB-240	bronze with satin brass details	220 - 240V
RINWAOBSB-240	satin brass with satin brass details	220 - 240V
RINWAOBWB-240	weathered brass with weathered brass details	220 - 240V
RINWAO NSB-240	satin nickel with satin brass details	220 - 240V
RINWAOBNBN-240	black polished nickel with black polished nickel details	220 - 240V
RINWAOABSB-110	antique bronze with satin brass details	110 - 130V
RINWAOBZSB-110	bronze with satin brass details	110 - 130V
RINWAOBSB-110	satin brass with satin brass details	110 - 130V
RINWAOBWB-110	weathered brass with weathered brass details	110 - 130V
RINWAO NSB-110	satin nickel with satin brass details	110 - 130V
RINWAOBNBN-110	black polished nickel with black polished nickel details	110 - 130V

RING WALL - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
RINWAOABSB-DALIA-240	antique bronze with satin brass details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
RINWAOBZSB-DALIA-240	bronze with satin brass details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
RINWAOBSB-DALIA-240	satin brass with satin brass details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
RINWAOBWB-DALIA-240	weathered brass with weathered brass details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
RINWAO NSB-DALIA-240	satin nickel with satin brass details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
RINWAOBNBN-DALIA-240	black polished nickel with black polished nickel details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V