

## RING WALL

### FINISH

antique bronze with satin brass details  
 bronze with satin brass details  
 satin brass with satin brass details  
 satin nickel with satin brass details

### DIMENSIONS (body of fixture)

120 x 130 x 300 mm (w x d x h)

### WEIGHT

4kg (8.8lbs)

### ILLUMINATION

220-240v - 2 x G9 - 25w max halogen (or 2.3w LED 2700k)  
 110-130v - 2 x G9 - 25w max halogen (or 2.3w LED 2700k)

### DIMMING

dimnable bulb required  
 trailing edge dimmable / phase cut (rotary dimmer) - standard  
 DALI option available (220-240v only)

### WALL ROSE / PLATE

rectangular wall box - 40 x 15 x 270 mm (w x d x h)


### CERTIFICATION



### VIEW ON WEBSITE



mounting plate dimensions



\*Diagrams are not to scale.

## RING WALL - DALI-A

### FINISH

antique bronze with satin brass details  
 bronze with satin brass details  
 satin brass with satin brass details  
 satin nickel with satin brass details

### DIMENSIONS (body of fixture)

120 x 130 x 300 mm (w x d x h)

### WEIGHT

4kg (8.8lbs)

### ILLUMINATION

220-240v - 2 x G9 - 25w max halogen (or 2.3w LED 2700k)  
 DALI converter to be installed in the cavity

### DIMMING

dimnable bulb required  
 DALI compatible

### WALL ROSE / PLATE

rectangular wall box - 40 x 15 x 270 mm (w x d x h)


### CERTIFICATION





### VIEW ON WEBSITE



mounting plate dimensions



DALI converter dimensions



\*Diagrams are not to scale.

## RING WALL

### RING WALL

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
RINWAOABSB-240	antique bronze with satin brass details	220 - 240V
RINWAOBZSB-240	bronze with satin brass details	220 - 240V
RINWAOBSB-240	satin brass with satin brass details	220 - 240V
RINWAOANSB-240	satin nickel with satin brass details	220 - 240V
RINWAOABSB-110	antique bronze with satin brass details	110 - 130V
RINWAOBZSB-110	bronze with satin brass details	110 - 130V
RINWAOBSB-110	satin brass with satin brass details	110 - 130V
RINWAOANSB-110	satin nickel with satin brass details	110 - 130V

### RING WALL - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
RINWAOABSB-DALIA-240	antique bronze with satin brass details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
RINWAOBZSB-DALIA-240	bronze with satin brass details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
RINWAOBSB-DALIA-240	satin brass with satin brass details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
RINWAOANSB-DALIA-240	satin nickel with satin brass details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V