

RING WALL TALL

FINISH

antique bronze with satin brass details
bronze with satin brass details
satin brass with satin brass details
weathered brass with weathered brass details
satin nickel with satin brass details
black polished nickel with black polished nickel details

DIMENSIONS (body of fixture)

120 x 130 x 540 mm (w x d x h)

WEIGHT

7kg (15.4lbs)

ILLUMINATION

220-240v - 4 x G9 - 25w max halogen (or 2.3w LED 2700k)
110-130v - 4 x G9 - 25w max halogen (or 2.3w LED 2700k)

DIMMING

dimable bulb required
trailing edge dimmable / phase cut (rotary dimmer) - standard
DALI option available (220-240v only)



WALL ROSE / PLATE

rectangular wall box - 40 x 15 x 505 mm (w x d x h)


CERTIFICATION




VIEW ON WEBSITE



mounting plate dimensions



North America junction box cover



*Diagrams are not to scale.

RING WALL TALL - DALI-A

FINISH

antique bronze with satin brass details
bronze with satin brass details
satin brass with satin brass details
weathered brass with weathered brass details
satin nickel with satin brass details
black polished nickel with black polished nickel details

DIMENSIONS (body of fixture)

120 x 130 x 540 mm (w x d x h)

WEIGHT

7kg (15.4lbs)

ILLUMINATION

220-240v - 4 x G9 - 25w max halogen (or 2.3w LED 2700k)
DALI converter to be installed in the cavity

DIMMING

dimnable bulb required
DALI compatible



WALL ROSE / PLATE

rectangular wall box - 40 x 15 x 505 mm (w x d x h)


CERTIFICATION




VIEW ON WEBSITE



mounting plate dimensions



DALI converter dimensions



*Diagrams are not to scale.

RING WALL TALL

RING WALL TALL

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
RINWATABSB-240	antique bronze with satin brass details	220 - 240V
RINWATBZSB-240	bronze with satin brass details	220 - 240V
RINWATSBSB-240	satin brass with satin brass details	220 - 240V
RINWATWBWB-240	weathered brass with weathered brass details	220 - 240V
RINWATSNSB-240	satin nickel with satin brass details	220 - 240V
RINWATBNBN-240	black polished nickel with black polished nickel details	220 - 240V
RINWATABSB-110	antique bronze with satin brass details	110 - 130V
RINWATBZSB-110	bronze with satin brass details	110 - 130V
RINWATSBSB-110	satin brass with satin brass details	110 - 130V
RINWATWBWB-110	weathered brass with weathered brass details	110 - 130V
RINWATSNSB-110	satin nickel with satin brass details	110 - 130V
RINWATBNBN-110	black polished nickel with black polished nickel details	110 - 130V

RING WALL TALL - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
RINWATABSB-DALIA-240	antique bronze with satin brass details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
RINWATBZSB-DALIA-240	bronze with satin brass details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
RINWATSBSB-DALIA-240	satin brass with satin brass details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
RINWATWBWB-DALIA-240	weathered brass with weathered brass details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
RINWATSNSB-DALIA-240	satin nickel with satin brass details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
RINWATBNBN-DALIA-240	black polished nickel with black polished nickel details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V