CTOLIGHTING

TORRES PENDANT TALL - FLUSH MOUNTED

FINISH

antique bronze antique bronze with honed alabaster bronze bronze with honed alabaster polished nickel

DIMENSIONS (body of fixture)

Ø 200 x 700 mm (dia x h)

WEIGHT

6kg (13.2lbs)

OVERALL DROP

700 mm

ILLUMINATION

Alabaster Shade

220-240v - 1 x G9 - max 4.5W LED 2700k 110-130V - 1 x G9 - max 4.5W LED 2700k (no bulb supplied)

Metal Shade

220-240v - 1 x GU10 - max 6.5W LED 2700k 110-130V - 1 x GU10 - max 4.5W LED 2700k (no bulb supplied)

DIMMING

dimmable bulb required trailing edge dimmable / phase cut (rotary dimmer) - standard DALI option available (220-240v only)

CEILING ROSE / PLATE

round ceiling rose - ø 64 mm (dia)


CERTIFICATION






VIEW ON WEBSITE





North America junction box cover



mounting plate dimensions





200 mm (7.9)

^{*}Diagrams are not to scale.

CTOLIGHTING

TORRES PENDANT TALL - FLUSH MOUNTED - DALI-A

FINISH

antique bronze antique bronze with honed alabaster bronze bronze with honed alabaster polished nickel

DIMENSIONS (body of fixture)

Ø 200 x 700 mm (dia x h)

WEIGHT

6kg (13.2lbs)

OVERALL DROP

700 mm

ILLUMINATION

Alabaster Shade

220-240v - 1 x G9 - max 4.5W LED 2700k (no bulb supplied)

Metal Shade

220-240v - 1 x GU10 - max 9.6W LED 2700k (no bulb supplied)

DIMMING

dimmable bulb required DALI compatible DALI converter to be installed in the cavity

CEILING ROSE / PLATE

round ceiling rose - ø 64 mm (dia)

CERTIFICATION






VIEW ON WEBSITE




DALI converter dimensions




^{*}Diagrams are not to scale.





mounting plate dimensions





TORRES PENDANT TALL - FLUSH MOUNTED

TORRES PENDANT TALL - FLUSH MOUNTED

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
TORCETAB-240	antique bronze - GU10	220 - 240V
TORCETABHA44-240	antique bronze with honed alabaster - G9	220 - 240V
TORCETBZ-240	bronze - GU10	220 - 240V
TORCETBZHA44-240	bronze with honed alabaster - G9	220 - 240V
TORCETPN-240	polished nickel - GU10	220 - 240V
TORCETAB-110	antique bronze - GU10	110 - 130V
TORCETABHA-110	antique bronze with honed alabaster - G9	110 - 130V
TORCETBZ-110	bronze - GU10	110 - 130V
TORCETBZHA-110	bronze with honed alabaster - G9	110 - 130V
TORCETPN-110	polished nickel - GU10	110 - 130V

TORRES PENDANT TALL - FLUSH MOUNTED - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
TORCETAB-DALIA-240	antique bronze - GU10	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on existent ceiling/wall rose	220 - 240V
TORCETABHA-DALIA-240	antique bronze with honed alabaster - G9	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on existent ceiling/wall rose	220 - 240V
TORCETBZ-DALIA-240	bronze - GU10	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on existent ceiling/wall rose	220 - 240V
TORCETBZHA-DALIA-240	bronze with honed alabaster - G9	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on existent ceiling/wall rose	220 - 240V
TORCETPN-DALIA-240	polished nickel - GU10	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on existent ceiling/wall rose	220 - 240V