

TRACE FREEFALL 7 CEILING ROSE

FINISH

antique bronze with liquid cast glass
bronze with liquid cast glass
polished nickel with liquid cast glass

DIMENSIONS (body of fixture)

1350 x 1350 x 3500 mm (l x w x h)

WEIGHT

30kg (66.1lbs)
please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 3700 mm
maximum on request 11550 mm
all suspension cables are supplied to correct length

ILLUMINATION

220-240v - integrated LED - 58.8w - 2700k
110-130v - integrated LED - 58.8w - 2700k
LED driver to be installed in the ceiling rose

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard DALI option available (220-240v only)
0/1-10v (220-240v) - on request



CEILING ROSE / PLATE

ceiling rose - 550mm x 550mm x 50mm

CERTIFICATION



VIEW ON WEBSITE



*Diagrams are not to scale.

TRACE FREEFALL 7 CEILING ROSE - DALI A

FINISH

antique bronze with liquid cast glass
bronze with liquid cast glass
polished nickel with liquid cast glass

DIMENSIONS (body of fixture)

1350 x 1350 x 3500 mm (l x w x h)

WEIGHT

30kg (66.1lbs)
please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 3700 mm
maximum on request 11550 mm
all suspension cables are supplied to correct length

ILLUMINATION

220-240v - integrated LED - 58.8w - 2700k
DALI LED driver to be installed in the ceiling rose

DIMMING

DALI compatible




CEILING ROSE / PLATE

ceiling rose - 550mm x 550mm x 50mm

CERTIFICATION



VIEW ON WEBSITE



*Diagrams are not to scale.

TRACE FREEFALL 7

CEILING ROSE

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
TRAPEF7ABLG-CR-240	antique bronze with liquid cast glass	220 - 240V
TRAPEF7ABLG-CR-DALIA-240	antique bronze with liquid cast glass - DALI A	220 - 240V
TRAPEF7ABLG-CR-110	antique bronze with liquid cast glass	110 - 130V
TRAPEF7BZLG-CR-240	bronze with liquid cast glass	220 - 240V
TRAPEF7BZLG-CR-DALIA-240	bronze with liquid cast glass - DALI A	220 - 240V
TRAPEF7BZLG-CR-110	bronze with liquid cast glass	110 - 130V
TRAPEF7PNLG-CR-240	polished nickel with liquid cast glass	220 - 240V
TRAPEF7PNLG-CR-DALIA-240	polished nickel with liquid cast glass - DALI A	220 - 240V
TRAPEF7PNLG-CR-110	polished nickel with liquid cast glass	110 - 130V